

A Compendium of species of turritelline gastropods, Cretaceous to Recent.

References v. 1.6

- Abbass, H.L., 1962, The English Cretaceous Turritellidae and Mathildidae (Gastropoda). Bull. Brit. Mus. (Natural History) Geol. 7-6; pp. 173-196.
- Abbass, H.L., 1963, A monograph on the Egyptian Paleocene and Eocene gastropods. Egyptian Geological Survey, Palaeontological Series, Monograph no. 4, xx pp.
- Abbott, R.T., 1974, American Seashells, 2nd edition. Van Nostrand Reinhold, NY, 663 p.
- Abdel-Gawad, G.I., 1986, Maastrichtian non-cephalopod mollusks (Scaphopoda, Gastropoda, and Bivalvia) of the Middle Vistula Valley, Central Poland. Acta Geologica Polonica, 36(1-3): 69-223.
- Adams, A., and Reeve, L.A., 1848 [1850], The zoology of the voyage of H.M.S.Samarang. Mollusca. London, No.7, x + 87 pp., 24 pl.
- Addicott, W.O., 1970, Miocene gastropods and biostratigraphy of the Kern River area, California. USGS Prof. Pap. 642, 174 p.
- Addicott, W.O., 1976, Neogene molluscan stages of Oregon and Washington. Pp. 95-115 in Symposium on the Neogene of the Pacific Coast. W. W. Wornardt, ed., SEPM Pacific Section, San Francisco.
- Adegoke, O.S., 1977, Stratigraphy and paleontology of the Ewekoro Formation (Paleocene) of southwestern Nigeria. Bulletins of American Paleontology, vol. 71, no. 295, pp. 1-379, 50 pl.
- Adkins, W.S., 1918, The Weno and Pawpaw Formations of the Texas Comanchean. University of Texas Bulletin no. 1856, 172 p.
- Aldrich, T.H. 1885, Notes on the Tertiary of Alabama and Mississippi, with descriptions of new species. Journal of the Cincinnati Society of Natural History, vol. 8, no. 2, pp. 145-153.
- Allmon, W.D., 1988, Evolution and environment in turritelline gastropods (Mesogastropoda, Turritellidae), lower Tertiary of the U.S. Gulf and Atlantic coastal plains. unpublished PhD thesis, Harvard University, Cambridge, MA, 818 pp.
- Allmon, W.D., 1996, Evolution and systematics of Cenozoic American Turritellidae (Gastropoda). I. Paleocene and Eocene species related to "*Turritella mortoni* Conrad" and "*Turritella humerosa* Conrad" from the U.S. Gulf and Atlantic Coastal Plains. Palaeontographica Americana 59, 134 pp.

- Allmon, W.D., and W.B. Harris, 2007, A New Species of Turritelline Gastropod from a Turritelline-Dominated Limestone in the Paleocene of North Carolina. *Journal of Paleontology* (in press)
- Allison, E.C., 1955, Middle Cretaceous Gastropoda from Punta China, Baja California, Mexico. *Journal of Paleontology*, 29(3): 400-432.
- Anderson, F.M., and G.D. Hanna, 1925, Fauna and stratigraphic relations of the Tejon Eocene at the type locality in Kern County, California. *Occasional Papers of the California Academy of Sciences*, no. 11, 49 pp., 10 pl.
- Anton, H.E., 1838, *Verzeichniss der Conchylien*. Halle, published by the author, 110 p.
- Arnold, R., 1907, New and characteristic species of fossil mollusks from the oil-bearing Tertiary formations of southern California. *Proceedings of the U.S. National Museum*, vol. 32, no. 1545, pp. 525-564.
- Arnold, R., 1908, Descriptions of new Cretaceous and Tertiary fossils from the Santa Cruz mountains, California. *Proceedings of the U.S. National Museum*, vol. 34, no. 1617, pp. 345-390.
- Arnold, R., and H. Hannibal, 1913, The marine Tertiary stratigraphy of the North Pacific coast of America. *Proceedings of the American Philosophical Society*, vol. 52, pp. 559-605.
- Awad , G.H., and Abed , M., 1968, Biostratigraphical zoning of the Lower Tertiary in the Dakhla Oasis. *Egyptian Geological Survey, Special Paper no. 47*, 63 p. , 8 , pl.
- Baily, W.H., 1855, Description of some Cretaceous fossils from South Africa. *Quarterly Journal of the Geological Society*, vol. 11: 454-465.
- Baird, W., 1870, Description of a new genus and species of shells from Whydah, on the coast of Africa, with some remarks on the genus *Proto* of DeFrance. *Proc. Zool. Soc. London*, 1870: 59-61.
- Baldi, T., 1973, Mollusc fauna of the Hungarian upper Oligocene (Egerian). *Akademiai Kiado, Budapest*, 511 p.
- Barry, J.O., and R.J. LeBlanc, 1942, Lower Eocene faunal units of Louisiana. *Louisiana Geological Survey Bulletin* 23: 1-208.
- Basse, E., 1931/2, *Monographie paléontologique du Crétacé de la Province de Maintirano (Madagascar)*. *Ann. Géol. Serv. Mines Madagascar*, xxx p.
- Basterot, B. de, 1825, *Description géologique du Bassin Tertiaire de sud-ouest de la France. Première partie. Mémoires de la Société d'Histoire Naturelles de Paris*, vol. 2, no. 1, pp. 1-100, 7 pl.

Bayan, J.F., 1873, Etudes faites dans la collection de l'Ecole des Mines sur des fossiles nouveaux ou mal connus. Vol. II, p. 81-164, Paris.

Berry, S.S., 1953, Notices of new West American Mollusca. Transactions of the San Diego Society of Natural History, no. 16, p. 405-428.

Berry, S.S., 1957, Notices of new Eastern Pacific Mollusca. I. Leaflets in Malacology, vol. I, no. 14, pp. 75-82.

Beu, A.G., and P.A. Maxwell, Cenozoic Mollusca of New Zealand. New Zealand Geological Survey, Paleontological Bulletin 58, 518 p.

Binkhorst, J.-T., 1861, Monographie des Gastéropodes et des Céphalopodes de La Craie Supérieure du Limbourg. C. Muquardt, Bruxelles, 44 p., IX pl.

Blanckenhorn, M., 1927, Die fossilen Gastropoden und Scaphopoden der Kreide von Syrien-Palästina. Palaeontographica, LXIX, B., Monats., pp. 187-191.

Böhm, J., 1926, Über Tertiäre Versteinerungen von den Bogenfelder Diamantfeldern. Pp. 55-87 in Kaiser, E., Die Diamantenwüste Südwestafrikas, vol. 2, Berlin, Dietrich Reimer (Ernst Vohsen)

Borson, 1820, Saggio di Orittografia Piemontese. Memorie dell' Accademia delle Scienze di Torino, 25: xx p.

Böse, E., 1906, Sobre algunas faunas Terciarias de Mexico. Boletin de Instituto de Geologia, Mexico, vol. 22, p. 1-96.

Bowles, E., 1939, Eocene and Paleocene Turritellidae of the Atlantic and Gulf coastal plain of North America. Journal of Paleontology, vol. 13, pp. 267-336.

Briart, A., and F.L. Cornet, 1865, Meule de Bracquegnies... xxxxx

Briart, A., and F.L. Cornet, 1873, Description des fossiles du Calcaire grossier de Mons, Gastropodes. Mem. Acad. Roy. Sciences de Belgique, part II, vol. 37: 95 p., pl. 6-12.

Brocchi, G.-B., 1814, Conchiologia fossile subappennina, 2 vols., Milan, xxx p.

Brongniart, A., 1823, Mémoire sur les terrains de sédiment supérieurs calcaréo-trappéens du Vicentin. Paris, xxx p.

Bronn, H.G., 1831, Italiens Tertiär-Gebilde und deren organische Einschlüsse. Heidelberg, xxx p.

Brown, A.P., 1913, Notes on the geology of the Island of Antigua. Proceedings of the Academy of Natural Sciences of Philadelphia, 65: 584-616.

Brown, A.P., and H.A.Pilsbry, 1911, Fauna of the Gatun formation, Isthmus of Panama. Proceedings of the Academy of Natural Sciences of Philadelphia, 63: 336-373.

Bucquoy, E., P. Dautzenberg, and G. Dollfus, 1882, Les mollusques marins du Roussillon. Tome I. Gastropodes. Paris, xxx pp.

Carpenter, P.P., 1864, Supplementary report on the present state of our knowledge with regard to the Mollusca of the west coast of North America. Report of the British Association for the Advancement of Science for 1863, pp. 517-686.

Cerulli-Irelli, S., 1912, Fauna malacologica mariana. Palaeontographica Italica, 18: xxx-xxx.

Clark, B.L., 1918, The San Lorenzo Series of Middle California. University of California Publications in Geological Sciences, vol. 11, no. 2, pp. 45-234.

Clark, B.L., and C.A. Anderson, 1938, Wheatland Formation and its relation to early Tertiary andesites in the Sierra Nevada. Bulletin of the Geological Society of America, vol. 49: 931-956.

Clark, W.B., and Martin, G.C., 1901, Systematic paleontology, Eocene. Mollusca. in Maryland Geological Survey, Eocene volume, pp.17-57.

Clark, B.L., and A.O. Woodford, 1927, The geology and paleontology of the type section of the Meganos Formation (Lower Middle Eocene) of California. University of California Publications in Geological Sciences, vol. 17, no. 2, pp. 63-124.

Clark, B.L., and J.W. Durham, 1946, Eocene faunas from the department of Bolivar, Colombia. Geological Society of America Memoir 16, pp. 1-126.

Conrad, T.A., 1830, On the geology and organic remains of a part of the peninsula of Maryland. Containing descriptions of twenty-nine species of fossil shells, noticed in the preceding paper. Journal of the Academy of Natural Sciences of Philadelphia, 1st ser., vol. 6, pp. 205-231.

Conrad, T.A., 1833, Fossil shells of the Tertiary formations of North America. vol. 1, no. 4, pp. 39-46. Philadelphia. (pp. 63-72 in 1893 reprint by G.D.Harris; reprinted 1963 by the Paleontological Research Institution, Ithaca, NY.)

Conrad, T.A., 1834, Observations on the Tertiary and more recent formations of a portion of the southern states. Descriptions of new Tertiary fossils from the southern states. Journal of the Academy of Natural Sciences of Philadelphia, 1st ser., vol. 7, pp. 116-157.

Conrad, T.A., 1835, Fossil shells of the Tertiary formations of North America, illustrated by figures drawn on stone by T.A.Conrad. vol. 1, no. 3, pp. 29-56, pl.15-18 (pp. 77-110, pl.15-18 in 1893 reprint by G.D.Harris [with pl.19-20 not included in original by Conrad], reprinted 1963 by the Paleontological Research Institution, Ithaca, NY).

Conrad, T.A., 1841, Appendix, *in* Observations on the secondary and Tertiary formations of the southern states, by J.T.Hodge, American Journal of Science, vol. 41, pp. 332-348 (reprinted 1843, Transactions of the American Association of Geologists and Naturalists, pp. 94-111).

Conrad, T.A., 1848, Observations on the Eocene formation, and descriptions of one hundred and five new fossils of that period, from the vicinity of Vicksburg, Mississippi, with an Appendix. Academy of Natural Sciences of Philadelphia, Journal, 2nd ser., 1(2): 111-134, pl. 11-14.

Conrad, T.A., 1855, Descriptions of fossil shells from the Eocene and Miocene formations of California. Reports of explorations and surveys to ascertain... route for a railroad from the Mississippi River to the Pacific Ocean. Pacific R.R. Report, vol. V, pp. 320-329. [reprinted in Dall, 1909, USGS Prof. Pap. 59, pp. 163-171]

Conrad, T.A., 1857, Descriptions of Cretaceous and Tertiary fossils. Pp. 141-174 in Emory, W.H., Report on the United States and Mexican Boundary Survey, U.S. 34th Congress, 1st session, Senate Ex. Doc. 108 and House Ex. Doc. 135, vol. 1, pt. 2, 174 p., 21 pl.

Conrad, T.A., 1858, Observations of a group of Cretaceous fossil shells, found in Tippah County, Mississippi, with descriptions of fifty-six new species. Academy of Natural Sciences of Philadelphia, Journal, new series, vol. 3, pp. 323-336, pl. 34-35.

Conrad, T.A., 1860, Description of new species of Cretaceous and Eocene fossils of Mississippi and Alabama. Academy of Natural Sciences of Philadelphia Journal, 2nd ser., 4(3): 275-298.

Conrad, T.A., 1863, Catalogue of the Miocene shells of the Atlantic slope. Proceedings of the Academy of Natural Sciences of Philadelphia, 14: 559-582.

Conrad, T.A., 1864, Notes on shells, with descriptions of new fossil genera and species. Proceedings of the Academy of Natural Sciences of Philadelphia, vol. 16, pp. 211-214.

Conrad, T.A., 1865a, Catalog of the Eocene and Oligocene Testacea of the United States. American Journal of Conchology, vol. 1, no. 1, pp. 1-35, corrections pp. 190 +.

Conrad, T.A., 1865b, Descriptions of new Eocene shells from Enterprise, Mississippi. American Journal of Conchology, vol. 1, no. 2, pp. 137-141.

Cooke, C.W., 1919, Tertiary mollusks from the Leeward Islands and Cuba. Carnegie Institution of Washington Publication no. 291: 103-156.

Cooke, C.W., 1926, New Eocene mollusks from Jackson, Mississippi. Journal of the Washington Academy of Sciences, 16(5): 132-138.

Coquand, H., 1862, Géologie et Paléontologie de la région sud de la province de Constantine. Mém. Soc. D'Emul. de la Provence, Marseille, 2: 1-341.

Cossmann, A.E.M., 1886-1889, Catalogue illustré des coquilles fossiles de l'éocène des environs de Paris. Annales de la Société Roy. Malacologique de Belgique, **xxxxx**

Cossmann, A.E.M., 1912, Essais de Paléoconchologie comparée. Paris. privately published. livr. 9, 215 pp., 10 pl.

Cossmann, A.E.M., 1913, Contribution à la Paléontologie française des terrains jurassiques. III. Cerithiacea et Loxonematacea (suite et fin). Mém. Soc. Géol. France Paléontol. 20, no. 46: 89-264.

Cossmann, A.E.M., 1923, Deuxième supplément aux mollusques éocéniques de la Loire-Inférieure. Bull. Soc. Sci. Nat. Ouest France (4) 2: 109-160.

Cossmann, A.E.M., 1924, Revision des Scaphopodes, Gastropodes et Céphalopodes du Montien de Belgique. Deuxième Partie. Mem. Mus. Roy. Hist. Natur. Belg. 34: 35 p.

Cossmann, A.E.M., and A. Peyrot, 1921, Conchologie néogénique de l'Aquitaine. Scaphopodes et Gastropodes. Actes Soc. Linn. Bordeaux, 73: 5-321.

Cossmann, A.E.M., and G. Pissarro, 1904-1913, Iconographie complète des coquilles de l'Eocène de environs de Paris. 2 vols., Société Géologique de la France, Paris, **xxx** p.

Cotton, B.C., and Woods, N.H., 1935, The correlation of Recent and fossil Turritellidae of southern Australia. Records of the South Australian Museum, vol. 5, no. 3, pp. 369-387.

Dall, W.H., 1881, Preliminary report on the Mollusca. Blake Deep Sea Expedition in the Gulf of Mexico. Bulletin of the Museum of Comparative Zoology, 9: 33-144.

Dall, W.H., 1889, Report on the Mollusca. II. Gastropoda (Report on dredgings... by the U.S. Coast Survey steamer Blake...). Bulletin of the Museum of Comparative Zoology, 18: 1-492.

Dall, W.H., 1892, Contributions to the Tertiary fauna of Florida, with special reference to the Miocene Silex-beds of Tampa and the Pliocene beds of the Caloosahatchie River. Transactions of the Wagner Free Institute of Science, Philadelphia, vol 3, pt.2, pp. 201-473, pl.13-22.

Dall, W.H., 1896, Diagnosis of new Tertiary fossils from the southern United States. Proceedings of the U.S. National Museum, 18: 21-46.

Dall, W.H., 1908, The Mollusca and Brachiopoda (Reports on the dredging operations of the West Coast of Central America to the Galapagos...). Bulletin of the Museum of Comparative Zoology, 43: 203-487.

Dall, W.H., 1915, A monograph of the molluscan fauna of the *Orthaulax pugnax* zone of the Oligocene of Tampa, Florida. Bulletin of the U.S. National Museum 90: 1-173.

Darteville, E., and P. Brebion, 1958, Mollusques fossiles du Cretace de la... Annales du Musee Royal du Congo Belge. Sciences Zoologiques. 15: 1-128.

- Delpey, G., 1948, Gastéropodes mésozoïques de l'Ouest de Madagascar. Ann. Géol. Serv. Mines, Madagascar, 15: 1-35.
- Deshayes, G.P., 1824, Description des coquilles fossiles des environs de Paris. Part I. Paris, 392 pp.
- Deshayes, G.P., 1856-1866, Description des animaux sans vertèbres découverts dans le Bassin de Paris. Paris 1(1-20): 912 pp., 87 pl.; 2(21-44): 968 pp., 62 pl.; 3(45-50): 658 pp., pl. 63-107.
- DeVries, T.J., 2005, Cenozoic Turritellidae (Gastropoda) from southern Peru. Journal of Paleontology (submitted)
- Dixon, F., 1850, The geology and fossils of the Tertiary and Cretaceous formations of Sussex. London, 423 p., 40 pl.
- Dockery, D.T., III, 1980, The invertebrate macropaleontology of the Clarke County, Mississippi area. Mississippi Geological Survey Bulletin 122, 387 p.
- Donald, J., 1900, On some Recent Gastropoda referred to the family Turritellidae and their supposed relation to the Murchisoniidae. Proceedings of the Malacological Society of London, vol. 4, pp. 47-55.
- Doncieux, L., 1908, Catalogue descriptif des fossiles Nummulitiques de O'Aude et de l'Hérault. Ann. Univ. Lyon, n.s. (1) 22: xxx p.
- Douvillé, H., 1904, Paléontologie Mollusques Fossiles in J.de Morgan, Mission Scientifique en Perse. vol.3, Études géologiques. Partie IV. Paléontologie Mollusques fossiles. pp. 191-380, pl. 25-50.
- Douvillé, H., 1929, Les couches à *Cardita beaumonti* : Fasc. II. Les Couches à *Cardita beaumonti* dans le sind. Geological Survey of India, Palaeontological Memoirs, vol. 10, no. 3, pp. 27-73, pl. 5-11.
- Duboul, C., 1947, La faune Saumâtre du Campanien inférieur de la Basse Provence Occidentale. Muséum d'Histoire Naturelle de Marseille Bulletin 7(1): 45-63, 7(2) 115-163, 7(4): 196-252.
- Dunker, X., 1847, Title. Palaeontographica bd. 1, 132 p.
- Eames, F.E., 1957, Eocene Mollusca from Nigeria: a revision. Bulletin of the British Museum (Natural History), Geology, vol. 3, no. 2, pp. 25-70.
- Eichwald, E., 1830, Naturhistorische Skizze von Lithauen, Volhynien und Podolien. Wilna, xxx p.

Ellisor, A.C., 1918, Species of *Turritella* from the Buda and Georgetown limestones of Texas. University of Texas Bulletin 1840: 1-18, 4 pl.

Etayo Serna, F., 1979, La fauna de moluscos del Paleoceno de Colombia. Moluscos de una Capa del Paleoceno de Manantial (Guajira). Boletin Geología, Bucaramanga (Colombia), 13(27): 5-55.

Fallot, P., 1885, Etude géologique sur les Étages moyens et supérieurs du terrain Crétacé dans le sud-est de la France. Ann. Sci. Géol., Pris, 18: 1-262.

Favre, E., 1869, Description des fossiles de la Craie des environs de Lemberg en Galicie. H. Georg., Geneva, 187 p., 13 pl.

Finlay, H.J., 1927, A further commentary on New Zealand molluscan systematics. Transactions of the New Zealand Institute, vol. 57, pp. 320-480, pl. 18-23.

Finlay, H.J., and Marwick, J., 1937, The Wangaloan and associated molluscan faunas of Kaitangata, Green Island Subdivision. New Zealand Geological Survey Paleontological Bulletin 15, pp. 1-140, pl. 1-18.

Fontannes, F., 1879-1882, Les Mollusques pliocènes de la Vallée du Rhône et du Roussillon. 2 vols., Lyon, Paris, xxx p.

Forbes, F., 1846, Report on the fossil Invertebrata from South India. Trans. Geol. Society of London, 7: 97-174.

Fraas, O., 1867, Aus dem Orient. I. Geologische Beobachtungen am Nil, auf der Sinai Halbinsel und in Syrien. Stuttgart, xxx p.

Friedberg, W., 1909, Rodzaj *Turritella* w miocenie ziem polskich. -- Beschreibung der Der Gattung *Turritella* im Miozän von Polen. Bulletin International de l'Academie des Sciences de Cracovie, no. 1, pp. 253-266.

Friedberg, W., 1914, Moll. Mioc. Poloniae xxxxx

Gabb, W.M., 1860, Descriptions of new species of American Tertiary and Cretaceous fossils. Journal of the Academy of Natural Sciences of Philadelphia, 2nd. ser., vol. 4, pt.4, pp. 375-406, pl. 67-69.

Gabb, W.M., 1864, Descriptions of Cretaceous fossils. Paleontology of California 1(4): 57-243.

Gabb, W.M., 1869, Descriptions of new species of South American fossils. Journal of Conchology 5:25-32.

Gabb, W.M., 1878, Description of a collection of fossils, made by Doctor Antonio Raimondi in Peru. Journal of the Academy of Natural Sciences of Philadelphia, 1878: 263-336.

Gardner, J.A., 1916, Upper Cretaceous fauna. Maryland Geological Survey xxxxxx

Gardner, J.A., 1935, The Midway group of Texas. University of Texas Bulletin 3301, 403 pp., 28 pl.

Gardner, J.A., 1947, The molluscan fauna of the Alum Bluff Group of Florida. U. S. Geological Survey Prof. Pap. 142-H, pp. 493-656.

Garrard, T.A., 1972, A revision of Australian Recent and Tertiary Turritellidae. Journal of the Malacological Society of Australia, vol. 2, pp. 267-337.

Garrard, T.A., 1974, The genus *Haustator*, subgenus *Kurosoioia* in Australian waters. Journal of the Malacological Society of Australia, 3(1): 15-17.

Garrard, T.A., 1976, A supplement to Australian Recent Turritellidae (Gastropoda: Mollusca). Journal of the Malacological Society of Australia, 5(3-4): 195-200.

Glibert, M., 1962, Les Mesogastropoda fossiles du Cenozoïque Étranger. Mémoire de l'Institut Royale des Sciences Naturelles de Belgique, ser. 10, fasc. 70, 140 p.

Goldfuss, A., 1841-1844, Petrefacta Germaniae. Vol. 2, Gastropoden. Dusseldorf. 121 p.

Gould, X., 1846, Otia Conchologica xxxxxx

Govoni, D.L., 1983, Gastropod molluscs from the Brightseat Formation (Paleocene: Danian) of Maryland. unpublished MS thesis, The George Washington University, 238 pp.

Grant, U.S., IV, and H.R. Gale, 1931, Catalogue of the Marine Pliocene and Pleistocene Mollusca of California and adjacent regions. Memoirs of the San Diego Society of Natural History, vol. 1, 1036 p.

Grateloup, X., 1841, Atlas Conch. Foss. T.t. Adour. Tav. 16, f. 13

Graves, L., 1847, Essai sur la Topographie géognostique du département de l'Oise — In 8, Beauvais (Desjardins), 1847, 804 p.

Greco, X., 1918, Title. Palaeontographica Ital., xxii, 2, 119 p.

de Gregorio, A., 1890, Monographie de la Faune-Éocène de l'Alabama et surtout de celle de Claiborne de l'Étage Parisien (Horizon à *Venericardia planicosta* Lamk.). Annales de Géologie et Paléontologie, livr.7-8, 316 pp, 46 pl.

Gryzbowski, J., 1899, Die Tertiärlagerungen des nördlichen Peru und ihre Molluskenfauna. Beitr. Geol. Paleont. Südamerika, Neues Jahrbuch für Mineralogie, Geologie, und Paleontologie, Beil.-Bd. 12, pp. 610-644.

- Gueranger, E., 1850, Etude paléontologique sur la stratification du terrain cénomanien des environs du Mans. Bull. Soc. Géol. France, (2) 7:800-807, Paris.
- Harris, G.D., 1893, The Tertiary geology of Calvert Cliffs. American Journal of Science, ser. 3, 45: 21-31.
- Harris, G.D., 1894a, On the geological position of the Eocene deposits of Maryland and Virginia. American Journal of Science, ser.3, vol. 47, pp. 301-304.
- Harris, G.D., 1894b, The Tertiary geology of southern Arkansas. Arkansas Geological Survey Annual Report for 1892, vol. 2, 207 pp., 7 pl.
- Harris, G.D., 1895a, New and otherwise interesting Tertiary Mollusca from Texas. Proceedings of the Academy of Natural Sciences of Philadelphia, vol. 47, pp. 45-88, pl.1-9.
- Harris, G.D., 1895b, Claiborne fossils. Bulletins of American Paleontology, vol. 1, no. 1, 52 pp. 1 pl.
- Harris, G.D., 1896, The Midway Stage. Bulletins of American Paleontology, vol. 1, no. 4, 156 pp., 15 pl.
- Harris, G.D., 1897a, New and interesting Eocene Mollusca from the Gulf states. Proceedings of the Academy of Natural Sciences of Philadelphia, vol. 48, pp. 470-482, pl. 18-23.
- Harris, G.D., 1897b, The Lignitic stage, Part I, stratigraphy and Pelecypoda. Bulletins of American Paleontology, vol. 2, no. 9, 102 pp., 14 pl.
- Harris, G.D., 1899, The Lignitic stage, Part II, Scaphopoda, Gastropoda, Pteropoda and Cephalopoda. Bulletins of American Paleontology, vol. 3, no. 11, 128 pp., 12 pl.
- Harris, G.D., and K.V.W. Palmer, 1947, The Mollusca of the Jackson Eocene of the Mississippi Embayment (Sabine River to the Alabama River). Bulletins of American Paleontology, 30, no. 117, part II, Univalves and index., p. 207-563.
- Hatai, K., and T. Kotaka, 1950, Turritella from the Shimokita Peninsula. Jour. Geol. Soc. Japan, vol. 56, no. 654, pp. 101-104.
- Heilprin, A., 1887, Explorations of the west coast of Florida. Transactions of the Wagner Free Institute of Science, Philadelphia, 1: 134 p.
- Hertlein, L.G., and A.M. Strong, 1951, Eastern Pacific expeditions of the New York Zoological Society. XLIII. Mollusks from the West Coast of Mexico and Central America. Part X. Zoologica (Scientific Contributions of the New York Zoological Society), vol. 36, pt. 2, no. 5-9, pp. 67-xxx.
- Hilber, V., 1879, Neue Conchylien aus den mittelsteirischen Mediterranschichten. d. Sitzb. D. k. Ak. D. Wiss. Wien I. Abt., 79: xxx-xxx.

Hilber, V., 1882, Neue und wenig bekannte Conchylien aus dem ostbaltischen Miocaen. Abh. d. Geol. Reichsanst., 7: xx-xx.

Hodson, F., 1926, Venezuelan and Caribbean Turritellas. *Bulletins of American Paleontology*, vol. 11, no. 45, 50 pp., 30 pl.

Hoernes, 1856, Die Fossilen Mollusken des tertiärerbeckens von Wien. 2 vols. + Atlas. Abh. K. Geol. Reichsanstalt, 3: xxx p.

Hözl, O., 1958, Die Mollusken-Fauna des oberbayerischen Burdigals. *Geologica Bavarica*, 38: 1-348.

Honda, Y., 1986, A Paleogene molluscan fauna from Hokkaido, northern Japan. *Paleontological Society of Japan, Special Publication no. 29*: 3-16.

Hupé, H., 1854, Malacologia y conchiliologia. In C. Gay, ed., *Historica fisica y politica de Chile*. Vol. 8 + Atlas (Zoologica), Maulde et Renou, Paris, 499 p.

Ida, K., 1952, A study of fossil *Turritella* in Japan. *Geological Survey of Japan, Report 150*, 64 p., 7 pl.

Ihering, H., von, 1903, Les mollusques des terrains Crétaciques supérieurs de l'Argentine orientale. *Annal. Mus. Nac. Buenos Aires* 9: 193-229.

Ihering, H., von, 1907, Les mollusques fossiles du Tertiaire et du Crétacé supérieur de l'Argentine. J.A. Alsina, Buenos Aires, Argentina, 611 p.

Ihering, H., von, 1907, Les mollusques fossiles du Tertiaire et du Crétacé supérieur de l'Argentine. *Annales del Museo Nac. de Buenos Aires*, vol. 19: pp. 1-611, pl. i-xviii.

Ikebe, N., 1940, On the stratigraphy of the oil fields in Niigata Prefecture. *Jour. Jap. Assoc. Petrol. Tech.*, vol. 8, no. 5, pp. 333-344.

Jenkins, X., 1864, Javan fossils. *Quart. Journal of the Geological Society*, 20: 59

Kanehara, K., 1937, On some Neogene shells from Japan. Part 1. *Journ. Geol. Soc. Japan*, vol. 44, no. 527, pp. 781-785.

Kanno, S., 1958, New Tertiary molluscs from the Chichibu Basin, Saitama Prefecture, central Japan. *Sci. Repts. Tokyo Kyoiku Daigaku, sect. C*, vol. 6, no. 55, pp. 157-229.

Kauffman, E.G., 2006, *Bulletins of American Paleontology* (in press)

Kaunhowen, F., 1898, Die gastropoden der Maestrichter Kreide. *Palaeontologische Abhandlungen*, 8: 132 pp.

Kellum, L.B., 1926, Paleontology and stratigraphy of the Castle Hayne and Trent marls in North Carolina. U.S. Geological Survey Professional Paper 143, 56 pp., 11 pl.

Kiener, L.C., 1843, Species general et iconographie des coquilles vivantes. Vol. XX, Chez Rousseau, Libraire, Paris, xxx pp., xx pl.

Kirkland, J.I., 1996, Paleontology of the Greenhorn Cyclothem (Cretaceous: Late Cenomanian to Middle Turonian) at Black Mesa, Northeastern Arizona. New Mexico Museum of Natural History and Science, Bulletin 9, 131 p., 50 pl.

Koenen, 1891, Norddeutsch. Unt. Olig. Moll. Fauna, III, p. 714

Kollmann, H., 1978, Les Gastropodes cénomaniens de France et des régions voisines. Géologie Méditerranéenne, 5(1): 101-108.

Kollmann, H., and G.S. Odin, 2001, Gastropods from the Upper Cretaceous geological site at Tercis les Bains (SW France). In The Campanian-Maastrichtian Boundary. G.S. Odin, ed., Elsevier, pp. xxx-xxx.

Kotaka, T., 1951a, New *Turritella* from northeast Honshu, Japan. Saito Ho-on Kai Mus., Res. Bull., no. 21, pp. 6-12.

Kotaka, T., 1951b, Recent *Turritella* of Japan. Short Papers IGPS, no. 3, pp. 70-86.

Kotaka, T., 1952, *Turritella fortilirata habei*, a new name for *Turritella fortilirata multilirata*. Short Papers IGPS, no. 4, p. 87.

Kotaka, T., 1959, The Cenozoic Turritellidae of Japan. Tohoku University Scientific Reports., series 2 (Geology), vol. 3, pp. 1-135.

Kraus, F., 1848, Die Südafrikanischen Mollusken. Verlag von Ebner und Seubert, Stuttgart, 140 pp., 6 pl.

Krumbeck, L., 1906, Beiträge zur Geologie und Palaeontologie von Tripolis. Palaeontographica, v. 53, pp. xxx.

Lamarck, J.B. de, 1804, Mémoires sur les fossiles des environs de Paris. Part 3. Annales de Museum Histoire Naturelle, Paris, pp. 163-170, 266-274, 343-352, 436-441.

Lartet, L., 1877, "III". In Duc de Luynes: 'Voyage d'exploration a la Mer Moret a Petra et sur la rive gauche du Jourdain'. Paris. Xxx p.

Lea, H.C., 1841, Description of some new species of fossil shells from the Eocene at Claiborne, Alabama. American Journal of Science, 1st ser., 40: 92-103.

- Lea, I., 1833, Contributions to geology. Carey, Lea, and Blanchard, Philadelphia, 227 p., 6 pl.
- Linnaeus, C., 1758, Systema Naturae. 10th ed., xxx p.
- Lisson, C.I., 1925, Algunos fósiles de Peru. Boletín de la Sociedad Geológica del Perú, 1: 23-30.
- MacNeil, F.S., and Dockery, D.T., III, 1984, Lower Oligocene Gastropoda, Scaphopoda, and Cephalopoda of the Vicksburg Group in Mississippi. Mississippi Geological Survey Bulletin 124, 415 pp., 72 pl.
- Mansfield, W.C., 1930, Miocene gastropods and scaphopods of the Choctawhatchee Formation of Florida. Florida Geol. Surv. Bull. 3, pp. x-xx.
- Mansfield, W.C., 1931, Some Tertiary mollusks from southern Florida. Proc. USNM, vol. 79, art. 21, pp. 1-12
- Mansfield, W.C., 1935, New Miocene gastropods and scaphopods from Alachua Creek Valley, Florida. Florida Geological Survey Bulletin 12: 64 p.
- Mansfield, W.C., 1937, Mollusks of the Tampa and Suwanee limestones of Florida. Florida Geol. Surv. Bull. 15, 334 p.
- Mansfield, W.C., 1939, Notes on the upper Tertiary and Pleistocene mollusks of peninsular Florida. Florida Geological Survey Geological Bulletin no. 18, xx pp.
- Mansfield, W.C., 1940, Mollusks of the Chickasawhay Marl. Journal of Paleontology, 14(3): 171-226.
- Martin, G.C., 1904, Gastropoda. Pp. 131-269 in Miocene text. Maryland Geological Survey. Johns Hopkins University Press, Baltimore.
- Martin, K., 1879-80, Die Tertiärschichten auf Java. Publisher, Place, 170 pp., 28 pl.
- Martin, K., 1905, Die Fossilien von Java. Mollusken, part 8, pp. 221-281, pl. 34-41, Leiden, E.J. Brill.
- Martinez, S., and C.J. del Rio, 2002, Late Miocene molluscs from the southwestern Atlantic Ocean (Argentina and Uruguay): a paleobiogeographic analysis. Palaeo 3, 188: 167-187.
- Marwick, J., 1928, The Tertiary Mollusca of the Chatham Islands including a generic revision of the New Zealand Pectinidae. Transactions of the New Zealand Institute 58: 432-506.
- Marwick, J., 1929, Tertiary molluscan fauna of Chatton, Southland. Transactions of the New Zealand Institute 59: 903-934.

- Marwick, J., 1931, The Tertiary Mollusca of the Gisborne District. New Zealand Geological Survey, Paleontological Bulletin 13, pp. 1-177, pl.1-18.
- Marwick, J., 1934, Some New Zealand Tertiary Mollusca. Proceedings of the Malacological Society of London, 31: 10-21.
- Marwick, J., 1957a, Generic revision of the Turritellidae. Proceedings of the Malacological Society of London, vol. 32, pp. 144-166.
- Marwick, J., 1957b, New Zealand genera of Turritellidae, and the species of *Stiracolpus*. New Zealand Geological Survey, Paleontological Bulletin 27, pp. 1-55.
- Marwick, J., 1960, Early Tertiary Mollusca from Otaio Gorge, South Canterbury. New Zealand Geological Survey Paleontological Bulletin 33: 32 p.
- Marwick, J., 1965, Upper Cenozoic Mollusca of Wairoa District, Hawke's Bay. New Zealand Geological Survey Paleontological Bulletin 39: 59 p.
- Marwick, J., 1971, New Zealand Turritellidae related to *Zeacolpus* Finlay. New Zealand Geological Survey, Paleontological Bulletin 44, pp. 1-87.
- Matheron, P., 1842, Catalogue méthodique et descriptif des corps organisés fossiles du Département des Bouches du Rhône et lieux circonvoisins. 269 pp., 41 pl., Marseille.
- Masuda, K., and H. Noda, 1976, Check list and bibliography of the Tertiary and Quaternary Mollusca of Japan, 1950-1974. The Saito Gratitude Foundation, Sendai, Japan, 494 pp.
- Maury, C.J., 1912, A contribution to the paleontology of Trinidad. Journal of the Academy of Natural Sciences of Philadelphia, 2nd ser., vol. 15, pp. 23-112, pl. 5-13.
- Maury, C.J., 1925, Fosséis Terciarios do Brasil. Monographias do Serviço Geologico e Mineralogico do Brasil, vol. IV, 711 p.
- Mayer, C., 1866, Description de coquilles fossiles des terrains tertiaires supérieurs (suite). Journal de Conchyliol. 14: xx-xx.
- Mayer, C., 1867-70, Catalogue systématique et descriptif des fossiles des terrains tertiaires qui se trouvent au musée fédéral de Zurich. Cah. I-IV. Jour. Trim. Soc. D. scienc.nat. Zurich. P. xxx-xxx
- Mayer, C., 1871, Description de coquilles fossiles de terrains tertiaires superieurs. J. Conch. XIX: 336-349
- Mayer, K., 1872, Systemat. Verz. Helvetian, xxxxx

- Mayer, K., 1877 Paläontologie der Pariserstufe von Einsiedeln und seinen Umgebungen. Beiträge zur Geologischen Karte der Schweiz, Bern, 14(2):1-100.
- Menke, C.T., 1828, Synopsis methodica molluscorum generum omnium et specierum, quae in museo Menkeano adservantur cum synonymia critica et novarum specierum diagnosisibus. Pyrmonti, xxx p.
- Merriam, C.W., 1941, Fossil turritellas from the Pacific coast region of North America. University of California Publications in Geological Sciences, Bulletin 26, pp.1-214.
- Monterosato, T.-A. di, 1877, Conchiglie della rada di Civitavecchia. Ann. Mus. Civ. Genova., IX, 420
- Monterosato T.-A. di, 1878, Enumerazione e sinonimia delle conchiglie mediterranee. Giorn. Sci. Nat. Econom. Palermo, 13: 55 p.
- Monterosato T.-A. di, 1890, Le Conchiglie delle profondità de Golfo di Palermo. Naturalista Sicil. 9: 140-151, 157-166, 181-191.
- Mörnicke, W., 1896, Die Tertiärbildungen des nördlichen Chile und ihre Fauna. Neues Jahrbuch für Mineralogie, Geologie, und Palaeontologie 10: 533-612.
- Montfort, D., de., 1810, Conchyliologie systematique, et classification methodique des Coquilles ... vol. 2, pp. 1-676.
- Moret, L., 1938, Contribution à la paléontologie des couches crétacées et éocènes du versant Sud de l'Atlas de Marrakech. Service des Mines et de la carte géologique, Notes et Mémoires, no. 49: 77 p.
- Nagao, T., 1928a, Palaeogene fossils of the Islands of Kyushu, Japan. Part 1. Scientific Reports, Tohoku Imperial University, 2nd ser., vol. 9, no. 3: 97-128.
- Nagao, T., 1928b, Palaeogene fossils of the Islands of Kyushu, Japan. Part 2. Scientific Reports, Tohoku Imperial University, 2nd ser., vol. 12, no. 1: 11-140.
- Nelson, E.T., 1870, On the molluscan fauna of the later Tertiary of Peru. Transactions of the Connecticut Academy of Arts and Sciences, 2(5): 186-206.
- Nelson, R.N., 1925, A contribution to the paleontology of the Martinez Eocene of California. University of California Publications in Geological Sciences 15, no. 11, 397-466.
- Nestchaew, A., 1897, Die Fauna der Eozänablagerungen an der Wolga unterhalb Saratow. [in Russian?] Trudy Obshch. Estestv. Imperator. Kazansk. Univ., 32: 1-247, pl. 1-10, Kazan. [ref from Traub, 1979]

- Newton, R.B., 1912, On the lower Tertiary Mollusca of the Fayum Province of Egypt. Proceedings of the Malacological Society of London, 10: 56-89.
- Newton, R.B., 1918, Notes on a new species of *Turritella*, and a naticoid-shell referred to the genus *Gyrodes*, from British Cretaceous rocks. Proceedings of the Geologists' Association, 29:97-105
- Newton, R.B., 1922, Eocene Mollusca from Nigeria. Geological Survey of Nigeria, Bulletin No. 3, xxx p.
- Noetling, F., 1885, Die Fauna der baltischen Cenoman-Geschiebe. Pal. Abh. 2: 199-247.
- Nomura, S., 1935, Miocene Mollusca from Shiogama, northeast Honshu, Japan. Saito Ho-on Kai Mus., Res. Bull., no. 6, pp. 193-234.
- Nomura, S., 1940, Mollusca dredged by the Husa-maru from the Pacific coast of Tiba Prefecture, Japan. Rec. Oceanogr. Works, Japan, vol. 12, no. 1, pp. 81-116.
- Nyst, P.-H., 1843, Description des Coquilles et des Polypiers fossiles des terrains tertiaires de la Belgique. Academie Roy. Belg., Meme. Cour., vol. xvii: xxx-xxx.
- Olsson, A.A., 1922, The Miocene of northern Costa Rica, with notes on its general stratigraphic relations. Bulletins of American Paleontology, vol. 9, no. 39, pp. 174-482.
- Olsson, A.A., 1928, Contribution to the early Tertiary of Peru. Part 1, Eocene Mollusca and Brachiopoda. Bulletins of American Paleontology, vol. 14, no. 52, pp. 47-200.
- Oppenheim, P., 1896, Die Eozänfauna des Monte Postale dei Bolca im Veronesischen. Palaeontographica, 43: xx-xx.
- Oppenheim, P., 1906, Zur Kenntnis altertiär Faunen in Ägypten. Palaeontographica, xxx, abt. 3, pp. 1-348.
- Oppenheim, P., 1915, Die eocäne Invertebraten-Fauna des Kalksteins in Togo. Beiträge zur geologischen Erforschung der Deutschen Schutzgebiete, vol. 12, pp. 1-126.
- Oppenheim, P., 1901, Die Priabonschichten und ihre Fauna im Zusammenhang mit gleichalterigen und analogen Ablagerungen. Palaeontographica, 47: x-xx.
- d'Orbigny, A., d', 1842-48, Paléontologie française. Description des Mollusques et Rayonnés fossiles. Terrains crétacés. II. Gastropodes, III. Lamellibranches, xxx p.
- d'Orbigny, A., d', 1850-52, Prodrome de Paléontologie et de Stratigraphie universelle des animaux Mollusques et Rayonnés, 3 vols., xxx p.

Otuka, Y., 1934, Tertiary structure of the northwestern end of the Kitakami Mountainland, Iwate Prefecture, Japan. Bulletin of the Earthquake Research Institute, Tokyo Imperial University, vol. 12, pt. 3, pp. 566-638.

Otuka, Y., 1935, Stratigraphy of the northeastern part of the Oti Graben, Isakawa Prefecture. (In Japanese) Jour. Geol. Soc. Jap. Vol. 43, no. 503, pp. 483-510.

Otuka, Y., 1947, Study on the protoconch of the fossil *Turritella*. [In Japanese]. Shizen-Kenkyu, vol. 2, nos. 6-7, pp. 3-4.

Palmer, K.V.W., 1937, The Claibornian Scaphopoda, Gastropoda, and dibranchiate Cephalopoda of the southern United States. Bulletins of American Paleontology, vol. 7, no. 32, pt.1, 548 pp., pt.2, 90 pl.

Petho, J., 1906, Die Kreide (Hypersenon) Fauna des Peterwardeiner (Pétrovárader) Gebirges (Fruska Gora). Palaeontographica, 52: 57-331

Philippi, R.A., 1887, Die tertiären und quartären Versteinerungen Chiles. Publisher, Place, 266 p., 58 pl.

Picard, L., 1930, Upper Cretaceous (chiefly Campanian and Maestrichtian) Gastropoda and Pelecypoda from Palestine. Annals and Magazine of Natural History, ser. 10, 5: 513-543.

Pilsbry, H.A., 1897, New species of mollusks from Uruguay. Proceedings of the Academy of Natural Sciences of Philadelphia, 49: 290-298.

Pilsbry, H.A., and A.P. Brown, 1917, Oligocene fossils from the neighborhood of Cartagena, Colombia, with notes on some Hatian species. Proceedings of the Academy of Natural Sciences of Philadelphia, 69: 32-41.

Plummer, F.B., 1933, Cenozoic systems in Texas. in The Geology of Texas, Vol. 1, Stratigraphy. University of Texas Bulletin 3232, pp. 519-818.

Popenoe, W.P., 1937, Upper Cretaceous Mollusca from southern California. Journal of Paleontology, 11: 379-402.

Powell, A.W.B., and J.A. Bartrum, 1929, The Tertiary (Waitematan) molluscan fauna of Oneroa, Waiheke Island. Transactions of the Royal Society of New Zealand, 60: 395-447.

Poyarkova, Z.N., and M.R. Dzhililov, 1985, Cretaceous marine gastropods from the remote areas in Asia. [In Russian] Akademia Nauk Tadzhiskoy, SSR, 168 p.

Quaas, A., 1883-1903, Fauna der obersten Kreidebildungen in der Libyschen Wüste (Overwegischichten etc.). Palaeontographica, 30(2): 153-336.

Quoy, J.C.R., and P. Gaimard, 1834, Voyage de découvertes de l'Astrolabe, exécuté par ordre du Roi pendant les années 1826-1829, sous le commandement de M.J. Dumont d'Urville. Mollusques. Zoologie, Tome 3, p. 1-366.

Rahman, A., 1967, Die Gastropoden der Oberkreide (Ober-Cenoman) von Hölzelsau bei Niederndorf in Tirol. Mitt. Bayer. Staatssamml. Paläontol. Hist. Geol. 7: 23-134.

Reeve, L.A., 1849, Conchologica Iconica, or figures and descriptions of the shells of molluscous animals, Monograph of the genus *Turritella*, vol. V, xxx p.

Rennie, J.V.L., 1930, New Lamellibranchia and Gastropoda from the Cretaceous of Pondoland. Ann. South African Museum, 28(2): 159 pp.

Richards, H.G., and Palmer, K.V.W., 1953, Eocene mollusks from Citrus and Levy counties, Florida. Florida Geological Survey Bulletin 35, 95 pp., 13 pl.

Riedel, L., 1932, Die Oberkreide vom Mungofluss in Kamerun und ihre Fauna. Beitr. Z. Geolog. Erforsch. der Deutsch. Schutzgebiete, 16, Preuss. Geol. Land., Berlin, 155 pp.

Rios, E., 1994, Seashells of Brazil. 2nd ed., Fundação Cidade do Rio Grande, Rio Grande, Brasil, xxx p.

Risso, A., 1826, Histoire naturelle des principales productions de l'Europe méridionale en particulier des environs de Nice et des Alpes-Maritimes. Vol. IV, xxx p.

Rivera, R., 1957, Moluscos fósiles de la Formación Paracas, departamento de Ica. Boletín de la Sociedad Geológica de Perú, 32: 165-220.

Roemer, F.A., 1841, Die Versteinerungen des Nordeutschen Kreidegebirges. Hannover, 155 p.

Roman, F., and P. Mazeran, 1920, Monographie Paléontologique de la faune du Turonien du Bassin d'Uchaux et des ses dependances. Lyons Muséum d'Histoire Naturelle, Archives, 12 (Mémoire 2): 137 p.

Rossbach, T.J., and J.G. Carter, 1991, Molluscan biostratigraphy of the lower River Bend Formation at the Martin Marietta Quarry, New Bern, North Carolina. Journal of Paleontology, 65(1): 80-118.

Rossi de Garcia, E., and R. Levy, 1977, Fauna de la Formacion Arroyo Verde, Eoceno de la Provincia de Rio Negro, Argentina. Ameghiniana, XIV(1-4), 45-52.

Rovereto, G., 1900, Illustrazione dei molluschi fossili tongriani posseduti dal Museo geologico della R. Università di Genova. Atti. R. Univ. Genova 15, 210 p.

Rutsch, R., 1929, Die Gastropoden des subalpinen Helvétien der Schweiz und des Vorarlbergs. Abhandlungen der Schweizerischen Palaeontologischen Gessellschaft, 40: xx-xx.

- Sacco, F., 1895, I Molluschi dei terreni Terziarii del Piemonte edella Liguria. Parte XIX (Turritellidae e Mathididae). Publisher, place, 42 p. 3 pl.
- Saul, L.R., 1983, Turritella zonation across the Cretaceous-Tertiary boundary, California. University of California Publications in Geological Sciences, 125: 1-149.
- Say, T., 1824, Descriptions of marine shells recently discovered on the coast of the United States. Journal of the Academy of Natural Sciences of Philadelphia, vol. 5, pt. 3, pp. 207-215.
- Schaffer, F.X., 1910, Das Miocän von Eggenburg. Wien, 193 p.
- Schröder, M., 1995, Frühontogenetische schalen Jurassischer und Unterkretazischer Gastropoden aus Norddeutschland und Polen. Palaeontographica Abt. A, 238: 1-95.
- Shuto, T., 1974, Notes on Indonesian Tertiary and Quaternary gastropods mainly described by the late Prof. K.Martin. I. Turritellidae and Mathildidae. Geology and Paleontology of Southeast Asia, vol. 19: 113-160.
- Sieber, R., 1949, Die Turritellidae des niederösterreichischen Miozäns. Österreichische Akademie der Wissenschaften, Mathematisch-naturwissenschaftliche Klasse, Anzeiger, 86(7): 151-160.
- Sieber, R., 1958, Die Miozänen Turritellidae und Mathildidae Oesterreichs. **Mitteil. Geol. Gesellsch. Wien, 31: xxx-xxx.**
- Simone, L.R.L., and S. Mezzalira, 1994, Fossil molluscs of Brazil. Governo do Estado de Sao Paulo, Instituto Geologico Bol. 11, 202 p.
- Skwartko, S.K., and E. Sufiati, 1994, Mollusca in Indonesian Cenozoic biostratigraphy. (A computerized compilation). Vol. 3. Gastropoda. Palaeontology Section, Geology Division, Geological Research & Development Center, Bandung, **xxx** p.
- Sohl, N.F., 1960, Archaeogastropoda, Mesogastropoda and stratigraphy of the Ripley, Owl Creek and Prairie Bluff Formations: U.S. Geological Survey Professional Paper 331-A, pp. 1-151, pl 3-18.
- Speyer, O., 1870, Die Conchylien der Casseker Tertiärbildungen. I. Univalven. **Publisher, place, Xxx p.**
- Spieker, E.M., 1922, The paleontology of the Zorritos formation of the north Peruvian oil fields. Johns Hopkins University Studies in Geology, no.3, 196 p., 10 pl.
- Squires, R.L., 1988, Rediscovery of the type locality of *Turritella andersoni* and its geologic age implications for West Coast Eocene strata. Pp. 203-208 in Paleogene stratigraphy, west coast of

North America. Pacific Section, SEPM, West Coast Symposium, vol. 58, M.V. Filewicz and R.L. Squires, eds.

Stanton, T.W., 1893, The Colorado Formation and its invertebrate fauna. U.S. Geological Survey Bulletin no. 106, 288 p., 45 pl.

Stanton, T.W., 1947, Studies of some Comanche Pelecypods and Gastropods. U. S. Geological Survey Prof. Pap. 211, xxx p.

Stenzel, H.B., 1940, New zone in Cook Mountain Formation, the *Crassatella texalta* Harris -*Turritella cortezi* Bowles zone. American Association of Petroleum Geologists Bulletin, vol. 24, pp. 1663-1675.

Stenzel, H.B., and Turner, F.E., 1940, Turritellidae from the Paleocene and Eocene of the Gulf Coast. University of Texas Bulletin 3945, pp. 829-847.

Stephenson, L.W., 1939, *Turritella kellumi*, new name for *Turritella subtilis* Stephenson. Journal of Paleontology, vol. 13, no. 1, p. 99.

Stephenson, L.W., 1941, The larger invertebrate fossils of the Navarro Group of Texas. University of Texas Bulletin 4101, 1-641.

Stephenson, L.W., 1952, The larger invertebrate fossils of the Woodbine Formation (Cenomanian) of Texas. U. S. Geological Survey Professional Paper 242, 226 pp.

Stillwell, J.D., 2003, Patterns of biodiversity and faunal rebound following the K-T boundary extinction event in Austral Palaeocene molluscan faunas. Palaeogeography, Palaeoclimatology, Palaeoecology, 3, 195: 319-356

Stillwell, J.D., and W.J. Zinsmeister, 1992, Molluscan systematics and biostratigraphy. Lower Tertiary La Meseta Formation, Seymour Island, Antarctic Peninsula. American Geophysical Union, Antarctic Research Series, vol. 55, 192 p.

Stillwell, J.D., W.J. Zinsmeister, and A.E. Oleinik, 2004, Early Paleocene mollusks of Antarctica: systematics, paleoecology, and paleobiogeographic significance. Bulletins of American Paleontology, no. 367, 89 p.

Stoliczka, F., 1868, The Cretaceous fauna of southern India, ii, Gastropoda. Memoir of the Geological Survey of India. Palaeontologica Indica, xxx p.

Suter, H., 1911, Two new fossil Mollusca. Transactions of the New Zealand Institute 45: 294-297.

Suter, H., 1917, Descriptions of new Tertiary Mollusca occurring in New Zealand, accompanied by a few notes on necessary changes in nomenclature. Part I. New Zealand Geological Survey Paleontological Bulletin 5: 93 p.

Takeda, H., 1953, The Poronai Formation (Oligocene Tertiary) of Hokkaido and South Sakhalin and its fossil fauna. Geol. Sec., Hokkaido Assoc., Coal Mining Tech. Sapporo, Japan, (3), i-iv, 1-45[(in Japanese)]; i-iii, 1-103 [in English].

Tate, R., 1885, Description of new species of Mollusca of the Upper Eocene beds of Table Cape. Papers and Proceedings of the Royal Society of Tasmania for 1884: 226-231.

Tate, R., 1893, The gastropods of the older Tertiary of Australia. Part 4 (including supplement to part 3). Transactions of the Royal Society of South Australia 17: 316-345.

Tate, R., and W.L. May, 1900, Descriptions of new genera and species of Australian Mollusca. Trans. Royal Society of South Australia, 24: 90-103.

Tavera, J., 1947, Gastropodos del Eoceno de Arauco. Unpublished MS thesis, Universidad de Chile, Santiago, Chile, xxx p.

Tavera, J., 1979, Estratigrafia y paleontologia de la Formacion Navidad, Provincia de Colchagua, Chile (Lat. 30 50' S). Museo Nacional de Historia Natural (Santiago, Chile) Boletin, 36: 176 p.

Tessier, F., 1952, Contributions a la stratigraphie et a la paleontologie de la partie ouest au Senegal (Crétacé et Tertiaire). Bull. Dir. Mines A.O.F. Dakar, 14(2): 280-570, pls. 15-40.

Thomas, P., and A. Peron, 1889-1890, Description des mollusques fossiles des terrains Crétacés de la région sud des hauts-plateaux de la Tunisie. Paris, pl. xv-xxii.

Titova, L.V., 1994a, Revision of the Neogene Turritellidae (Mollusca: Gastropoda) from Kamchatka. Ruthenica, vol. 1, no. 1, pp. 1-20.

Titova, L.V., 1994b, Revision of the Turritellidae (Mollusca: Gastropoda) from the Paleogene of Kamchatka. Paleontological Journal, 28(1A): 48-66.

Toula, K., 1909, Eine jungtertiäre Fauna von Gatun am Panama-Kanal. Geol. Reichsanstalt Jahrb, 58: xxx-xxx.

Traub, F., 1938, Geologische und Paläontologische bearbeitung der Kreide und des Tertiärs im Östlichen Rupertiwinkel, Nördlich von Salzburg. Palaeontographica, 88: 1-107.

Valenciennes, A., 1832, Part II. Coquilles marines univalves de l'Amerique Equinoxiale, recueillies pendant le voyage de MM. De Humboldt et Bonpland. In F.H.A. von Humboldt and A.J.A. Bonpland, Voyage aux régions équinoxiales du Nouveau Continent. Paris, pp. 262-339.

Verco, J.C., 1908, Notes on South Australian marine Mollusca, with descriptions of new species.-- Part IX. Transactions of the Royal Society of South Australia, 32: 338-361.

Verco, J.C., 1910, Notes on South Australian marine Mollusca, with descriptions of new species.-- Part XIII. Transactions of the Royal Society of South Australia, 34: 115-145.

Vincent, G., 1878, Description de la faune de l'étage Lardenien Inférieur de Belgique. Annales de la Société malacologique de Belgique, 11: xx-xx.

Vredenburg, E., 1928, Descriptions of Mollusca from the post-Eocene Tertiary formation of north-western India: Gastropoda (in part) and Lamellibranchiata. Memoirs of the Geological Survey of India, vol. L, part 2, pp. xxx-xxx, pl. 14-33.

Wade, B., 1926, The fauna of the Ripley Formation on Coon Creek, Tennessee. US Geological Survey Professional Paper 137

Wailes, B.L.C., 1854, Report on the agriculture and geology of Mississippi ... Jackson, Mississippi. 371 pp., 17 pl., Fossils of the Vicksburg Eocene beds described by T.A.Conrad, p.287; Fossil Testacea of the Tertiary green-sand and marl- bed of Jackson, Miss. determined and named by T.A.Conrad, p.289, pl.14- 17 (reprinted in *Bulletins of American Paleontology*, vol. 24, no. 86, pp.10-19, pl. 1-4, 1939).

Watson, 1881, Jour. Linn. Soc., vol. 15, p. 222

Watson,, 1886, Challenger Zoology, vol. XV, p. 475.

Weaver, C.E., 1912, A preliminary report on the Tertiary paleontology of western Washington. Washington Geological Survey, Bulletin 15, pp. 1-80.

Weaver, C.E., 1942, Paleontology of the marine Tertiary formations of Oregon and Washington. University of Washington, Publications in Geology, vol 5, 789 p.

Weisbord, N.E., 1929, Miocene Mollusca of northern Colombia. *Bulletins of American Paleontology*, vol. 14, no. 54, 57 pp.

Weisbord, N.E., 1962, Late Cenozoic gastropods from northern Venezuela. *Bulletins of American Paleontology*, vol. 42, no. 193: 672 p.

White, C.A., 1879, Report on the paleontological field work for the season of 1877. Ann. Rept. U.S. Geol. and Geographical Survey of the Territories 11: 161-272.

Whitfield, R.P., 1865, Descriptions of new species of Eocene fossils. *American Journal of Conchology*, vol. 1, no. 3, pp. 259-268.

Whitfield, R.P., 1892, Gastropoda and Cephalopoda of the Raritan clays and Greensand marls of New Jersey. U. S. Geological Survey Monograph 18: 402 p.

Wilckens, O., 1922, The Upper Cretaceous gastropods of New Zealand. New Zealand Geological Survey, Paleontological Bulletin, no. 9, xxx p.

Woodring, W.P., 1957, Geology and paleontology of Canal Zone and adjoining parts of Panama. Geology and description of Tertiary mollusks (Gastropods: Trochidae to Turritellidae). U. S. Geological Survey Professional Paper 306A, pp. 1-145, pls. 1-23.

Yokoyama, M., 1920, Fossils from the Miura Peninsula and its immediate north. Jour. Coll. Sci. Imp. Univ. Tokyo, vol. 39, art. 6, pp. 1-193.

Yokoyama, M., 1923a, On some fossil shells from the island of Saishu in the Strait of Tsushima. Jour. Coll. Sci., Tokyo Imperial University, 44(7): 1-9.

Yokoyama, M., 1923b, On some fossil Mollusca from the Neogene of Izumo. Jap. Jour. Geol. Geog., vol. 2, no. 1, pp. 1-9.

Yokoyama, M., 1923c, Tertiary Mollusca from Dainichi in Totomi. Jour. Coll. Sci., Tokyo Imperial University, 45(2): 1-18.

Yokoyama, M., 1924, Molluscan remains from the lowest part of the Joban coal-field. Jour. Coll. Sci., Imp. Univ. Tokyo, vol. 45, art. 3, pp. 1-22.

Yokoyama, M., 1928, Mollusca from the oil-field of the Island of Taiwan. Imp. Geol. Surv., Rept. No. 101, pp. 1-112.

Zekeli, F., 1852, Die Gastropoden der Gosaugebilde. Abh. Der k.k. geol. Reichsanstalt, Bd. 7, abt. 2, no. 2, 124 pp, Wien.